

Tools and accessories  
designed for  
**professionals** in the  
**automotive** sector



**Shine  
Mate**



## Rotary polishers

**1**

EP803K	p. 2
MPK-3	p. 3
Kit detailing Bossauto	p. 4
EP800	p. 5
EP801+G2	p. 6
EP802	p. 7
EP812	p. 8



## Orbital polishers

**9**

EX603	p. 10
EX605	p. 11
EX610	p. 12



## Backing plates, buffing pads and foam pads

**13**

Buffing pads	p. 14
Diamond Foam Pads	p. 16
Dust Devil Backing plates	p. 17
Flex Edge Backing plates	p. 17



## Accessories

**20**




## Orbital sander

**23**

ES516	p. 24
-------	-------



# ROTARY SYSTEM





# EP803K POLISHING KIT FOR TOUCH-UPS

051807

## Designed for polishing touch-ups with **multiple accessories**

- Fine body design, light weight (1.65 kg).
- Long life engine and carbon brushes.
- Double retention gear system.
- Constant speed and soft start.
- Equipped with 42 pieces: 32-50-74 mm pads box, 2 extension shafts, wrench and lateral handle.

	Ø32 mm	Ø50 mm	Ø75 mm
1 Polisher	EP803		
1 Side handle	✓		
Backing plates	✓	✓	✓
2 Fastening shafts	80 mm y 40 mm		
Green pad T120	2 u.	2 u.	2 u.
Blue pad T60	2 u.	2 u.	2 u.
Orange pad T40	2 u.	2 u.	2 u.
Red pad T10	2 u.	2 u.	2 u.
Microfiber pad	2 u.	2 u.	2 u.
Wool buffing pad	2 u.	2 u.	2 u.

### EP803 Rotary polisher

Power	600W
Speed	700-2500 / min.
Plates size	32-50-74 mm Max. 98
Pads size	40-56-80 mm, Max.125 mm
Weight	1.65 kg
Thread	M14



### WARNING

1. Suitable for polishing touch-ups.
2. A 38-100 mm foam pad or wool buffing pad should be used for a better performance.
3. Do not use pads larger than 125 mm.

# MPK-3 FLEXIBLE NANO POLISHER

051808

NEW

## Suitable for polishing touch-ups with **multiple accessories**

- Flexible axis.
- Easy pad replacement.
- Rotary polisher and drill.

KIT INCLUDES:	
Polisher flexible axe MPK-3	MPK-3
1 Rotary adaptor M14	✓
Backing plate 15 mm	1 u.
Backing plate 25 mm	1 u.
Big foam pad	20 u.
Small foam pad	20 u.
Cone shaped pad	5 u.
Ball shaped pad	5 u.
Big wool pad	5 u.
Small wool pad	5 u.
1 Wrench	✓

### MPK-3 Mini polisher

Speed	4000 / min.
Plates size	15 mm, 25 mm
Pads size	Max.
Weight	342.2 g
Thread	M14



### WARNING

1. Suitable for touch-up polishing.
2. A 38-100 mm foam or wool buffer should be used for best performance.
3. Do not use tampons over 125 mm.

3. Polisher not included.



# EP801+G2 ROTARY POLISHER


051801



NEW

**Electric polisher with double gear and long handle. Ideal for partial and general polishing.**

- Suitable for overall and partial car polishing.
- Ergonomic body design.
- Lightweight 2.2 kg.
- Double-reduction gearing system to provide twice the torque of a single gear set polisher.
- Variable speed 700-2500 RPM, soft-start.
- Built-in speed stabilizer, to offer a constant speed output
- Configured with long life motor and carbon brush.
- 5-meter long power supply cable.



Low profile design  
The minimal distance from the pad to the body of the polisher allows better control

ELECTRICAL CHARACTERISTICS	
Power	800W (Max. 1200W)
Speed	700-2500/min
Backing plate	123 mm, Max. 148 mm
Weight	2.2 kg
Foam pad	150 mm, Max. 180 mm
Thread	M14
Accessories	123 mm backing plate, key and side handle

# EP802 ROTARY POLISHER

051815



NEW

**Designed for professional polishing in the automotive sector.**

- Powerful 1050W motor.
- Light weight of 2.2 kg.
- Variable speed 700-2500 RPM, soft start.
- Push button for adjusting the speed.
- Ergonomic design for a comfortable holding.
- Built-in speed stabilizer, to offer a constant speed.
- Shaft lock for a quick change in support plate.
- 5 meters long supply cable .



ELECTRICAL CHARACTERISTICS	
Power	1050W (Max. 1500W)
Speed	700-2500/min
Backing plate	123 mm, 150 mm, Max. 160 mm
Weight	2.2 kg
Foam pad	150 mm, 180 mm, Max. 200 mm
Thread	M14
Accessories	123 mm backing plate, key and side handle



# EP812 ROTARY POLISHER

051814



NEW

Designed for heavy duty industrial and professional polishing works.

- Powerful 1250W motor.
- Variable speed 700-3500 RPM.
- Ultra long service time of gear system.
- Built-in speed stabilizer, to offer a constant speed output.
- Soft grip for comfortable holding.
- Flexible backing plate for perfect contour face polishing and easy control.
- Supplied with cutting and finishing foam pads.
- 5 meter long supply cable.



## ELECTRICAL CHARACTERISTICS

Power	1250W (Max. 1900W)
Speed	700-3500/min
Backing plate	150 mm, Max. 180 mm
Weight	2,95 kg
Foam pad	180 mm, 200 mm, Max. 230 mm
Thread	M14
Accessories	160 mm backing plate, 2*180 mm foam pad, key and side handle



ORBITAL  
SYSTEM



# EX603 ORBITAL POLISHER

Orbit size 12 mm

051805



**Ideal for general polishing.**  
**Antiholograms.**

Resistant tool designed and produced for professional users of polishing in the automotive sector.

ELECTRICAL CHARACTERISTICS	
Orbit size	12 mm
Power	500W (Max.750W)
Speed	2500-5500 RPM
Backing plate	75 mm
Foam pad	100 mm
Weight	1.9 kg
Thread	5/16" - 24
Accessories	Plate, lateral handle, hexagonal wrench and 2 pads



✓  
Compact design

✓  
Light weight

✓  
Variable speed

✓  
Soft control

# EX605 ORBITAL POLISHER

Orbit size 12 mm

051804



**Ideal for general polishing.**  
**Antiholograms.**

Resistant tool designed and produced for professional users of polishing in the automotive sector.

ELECTRICAL CHARACTERISTICS	
Orbit size	12 mm
Power	500W (Max.750W)
Speed	2500-5500 RPM
Backing plate	123 mm
Foam pad	150 mm
Weight	2,2 kg
Thread	M8
Accessories	Plate, lateral handle, hexagonal wrench and 2 pads



✓  
Compact design

✓  
Dust-Devil TM Plate

✓  
Variable speed

✓  
Soft control

# EX610 ORBITAL POLISHER

Orbit size **21 mm / 15 mm**

051802 051803



## Resistant tool designed and produced for professional automotive polishing users

- Cutting-edge technology in the elimination of holograms and vibration to reduce the operator's fatigue.
- Multi-hole backing plate "Dust-Devil" to keep the pad at low temperature.
- Speed stabilizer to offer constant speed performance.
- Configured with a durable engine and carbon brushes.
- Ergonomic body design.
- 5 meter power cable.



	051802	051803
Orbit size	Ø21 mm	Ø15 mm
Power	500W (Max.750W)	
Speed	2500-4500/min	
Backing plate	150 mm, Max.180 mm	150 mm, Max.180 mm
Foam pad	180 mm	180 mm
Weight	2.6 kg	
Thread	M8	
Accessories	Backing plate, side handle, hexagonal wrench and 2 buffers	

### WARNING

1. Do not change the original plates by other measures or weights since the polishers require a precise weight balance of the pads.
2. Use a foam or wool pad to get better performance and to be able to work without vibration.



## BACKING PLATES, BUFFING PADS AND POLISHING PADS SYSTEM





# WOOL BUFFING PADS



CUT  
LEVEL

CUT  
T160



CUT  
T140



CUT  
T140



CUT  
T05

## WOOL BUFFING PADS HIGH KNITTED

- ✓ Eliminates deep scratches, excess of paint, disc marks of 1200/1500# and oxidation.
- ✓ For use with rotary polisher.

051931

Size	155 mm
It works with	150 mm plate

051930

Size	80 mm
It works with	75 mm plate

## WOOL BUFFING PADS SHORT KNITTED

- ✓ Eliminates deep scratches, excess of paint, disc marks of 1500/2000# and oxidation.
- ✓ For use with rotary polisher.

051929

Size	155 mm
It works with	150 mm plate
Center hole	22 mm

051928

Size	80 mm
It works with	75 mm plate

### WARNING:

You may notice some vibration while working with the orbital polisher as the surface of the tampon pad is heavier.

## WOOL BUFFING PADS SHORT KNITTED with backing

- ✓ Eliminates deep scratches, excess of paint, disc marks of 1500/2000# and oxidation.
- ✓ For use with rotary and orbital polishers.

051927

Size	165 mm
It works with	150 mm plate
Center hole	22 mm

051926

Size	90 mm
It works with	75 mm plate

### WARNING:

Clean the wool pad often to avoid swirls caused by the presence of dry compound.

## MICROFIBER PADS FINE PAD with backing

- ✓ 100% Nano microfiber.
- ✓ Returns the mirror type finish.
- ✓ For use with rotary and orbital polishers.

051924

Size	165 mm
It works with	150 mm plate
Center hole	22 mm

051923

Size	140 mm
It works with	123 mm plate
Center hole	22 mm

051922

Size	90 mm
It works with	75 mm plate

# DIAMOND V2 FOAM PADS

## CUT LEVELS



### GREEN T120 FOAM PADS

- ✓ The T120 green foam pad with a strong cut has a solid construction. Quickly eliminates deep scratches, excess of paint, marks of 1200/1500 discs and oxidation.
- ✓ It cuts like a wool tampon and gives a high gloss finish.
- ✓ Suitable for scratch resistant and high solid ceramic paints.

051917

∠ Ø150 mm  
∠ Ø180 mm

051907

∠ Ø123 mm  
∠ Ø150 mm

051912

∠ Ø74 mm  
∠ Ø100 mm



### YELLOW T80 FOAM PADS

- ✓ The high-cut yellow foam T80 pad offers an intensive cutting action that eliminates deep scratches, excess of paint, swirl marks, marks of 1500 discs and oxidation when used combined with strong polishes.

051918


∠ Ø150 mm  
∠ Ø180 mm

051908

∠ Ø123 mm  
∠ Ø150 mm

051913

∠ Ø74 mm  
∠ Ø100 mm



### BLUE T60 FOAM PADS

- ✓ The blue T60 foam pad offers a moderate cutting action that eliminates sand scratches of 1500/2000, excess of paint and surface imperfections when used with polishes.

051919

∠ Ø150 mm  
∠ Ø180 mm

051909

∠ Ø123 mm  
∠ Ø150 mm

051914

∠ Ø74 mm  
∠ Ø100 mm



### ORANGE T40 FOAM PADS

- ✓ The orange T40 foam pad is universal and multifunction. It has a light cutting action and eliminates scratches and swirl marks while leaving the surface smooth and soft. It can be used with strong polishes or micro fine ones.

051920

∠ Ø150 mm  
∠ Ø180 mm

051910

∠ Ø123 mm  
∠ Ø150 mm

051915

∠ Ø74 mm  
∠ Ø100 mm



### RED T10 FOAM PADS

- ✓ The red T10 foam pad has a light cleansing action to eliminate ultra-fine swirl marks, car wash scratches and holograms. It offers a brilliant finish without swirls if used with polish finishes.

051921

∠ Ø150 mm  
∠ Ø180 mm

051911

∠ Ø123 mm  
∠ Ø150 mm

051916

∠ Ø74 mm  
∠ Ø100 mm

# BACKING PLATES

## DUST DEVIL V3 ORBITAL

- ✓ Well balanced for a smooth polishing and sanding.
- ✓ Multi-hole pattern for **quick removal of heat and dust.**
- ✓ Designed to **fit different** sanding discs.



	051900	051902	051901
Size	75 mm	123 mm	150 mm
Thread	5/16"	M8-5/16"	M8-5/16"
Holes	6	multi	multi
Weight	40 g	110 g	130 g
It works with	EX603 <b>Code 051805</b>	EX605 <b>Code 051804</b>	EX610 <b>Code 051802 - 051803</b>

## FLEXEDGE V2

- ✓ Suitable for **wool and foam padding.**
- ✓ Molded **soft PUR.**
- ✓ Ideal for **polishing contours.**




	051904	051905	051906	051933	051903
Size	30 mm	48 mm	74 mm	123 mm	150 mm
Thread	M14				
It works with	EP803K <b>Code 051807</b>			EP800 <b>Code 051800</b> y EP801 <b>Code 051801</b>	

Use in a rotary polisher at a speed of ≤4500 / min.

## FLEXEDGE

	051925
Size	180 mm
Thread	M14-2
It works with	EP800 <b>Code 051800</b> y EP801 <b>Code 051801</b>







# ACCESSORIES



## UNIVERSAL PAD WASHER Buffing pads cleaning bucket

100004

Optimizes the life of the pads and of the merino wool buffing with a very fast and effective cleaning. Washes away residues of polishes from buffing and finishing pads. It has a special detergent that is the ideal addition to a superb finish (Code 100005).

1 u.



## PRS Detergent for polishing and buffing pads cleaning bucket 473 ml

100005

Spray 2-3 times directly to the pad and polishing sponge for maximum effectiveness to enable a better and faster degreasing. Removes traces of water based and petrol products. It is the ideal complement of UPW (Code 100004).

1 u.

12 u.



## KIT Speck removal needles

100041

Speck removing needles with case and a pen for holding and storing the needles. Use for removing any dust or dirt particles on fresh paint. The small hooks at the end of the needles make them an extremely effective tool.

1 u.

100 u.



## Dust removal needle blister pack (10 u.)

100069

Dust removing needles are used for removing any dust or dirt particles from fresh paint. The small hooks at the end of the needles make them an extremely effective tool.

1 u.

15 u.



## Dust cutting metal blade 3 mm

100042

Rectangular blade of tungsten with flat edges. Perfectly rectangular. This scraping blade especially designed for removing loose particles and dust particles, for quick elimination of these imperfections.

1 u.



## IRON MASK 12 x 12 cm (3 units pack)

100073

Stainless steel mask to prevent an excess sand of the surface in sanding processes or when removing minor imperfections.

1 u.

25 u.



## 3 carbon blocks: P800, P1500 y P3000 + Levelling block KIT

100815

Carbon block kit for correcting paint defects such as particles of dust. Highly appreciated by the bodywork professional painters. The 3 carbon blocks and the levelling block come in a TechCup® cup to submerge them before use.

1 u.



## Carbon block for the first sanding

100820

100824

100822

100819

100821

Soak the block for 24 hours in water before sanding to obtain a 100% efficient finish.

Code	Colour	U.	U. box
100820	P800 Red	1 u.	10 u.
100824	P1000 Yellow	1 u.	10 u.
100822	P1500 Blue	1 u.	10 u.
100819	P2000 Grey	1 u.	10 u.
100821	P3000 Green	1 u.	10 u.



## Levelling block

100823

Designed to have the carbon stones always leveled and in perfect condition.

1 u. / u.



### Set of spare parts 27 mm **MPK3**

051935

Set of 25 pads + backing plate 27 mm MPK-3.

1 u.



### Set of spare parts 17 mm **MPK3**

051936

Set of 25 pads + backing plate 17 mm MPK-3.

1 u.



### Set of yellow cone pads **T80**

051937

Set of 5 yellow cone pads D28xH30 T80 MPK3.

1 u.



### Set of red cone pads **T80**

051938

Set of 5 red cone pads D28xH30 T80 MPK3.

1 u.



### Set of yellow cylindric pads **T80**

051939

Set of 5 yellow cylindric pads D28xH30 T80 MPK3.

1 u.



# ORBITAL SANDER



# ES516 ELECTRIC SANDER

Central vacuum 3 mm / 5 mm

051820

051821



NEW

**Orbital sander with central vacuum designed for professional automotive refinishing and industrial sanding.**

- Low vibration level to reduce operator fatigue.
- Orbit Size in 3 mm or 5 mm.
- Multi-hole backing plate, vibration free and fast dust extraction.
- Soft-Start feature.
- Finger-Controlled trigger for precise speed adjusting.
- Built-in speed stabilizer to offer the constant speed output.
- Configured with long-life motor and carbon brush.

	051820	051821
Orbit	3 mm	5 mm
Power	220-240V~50/60Hz 400W	
Speed	4000-10000/min	
Backing plate	150 mm Multi hole	
Weight	1,7 kg	
Thread	M8	
Accessories	150 mm backing plate multi-hole, hex-wrench, spare carbon brush and hose adaptor 25 mm	



100905

100805



## EP800 ROTARY POLISHER

051800



## EP801 +G2 ROTARY POLISHER

051801



## EP802 ROTARY POLISHER

051815



## EP812 ROTARY POLISHER

051814



ELECTRICAL CHARACTERISTICS	
Power	800W
Speed	700-2500 / min.
Backing plate	75-123 mm
Foam pad	80 - 150 mm, Max.180 mm
Weight	2.0 kg
Thread	M14
Accessories	123 mm backing plate, key and side handle

ELECTRICAL CHARACTERISTICS	
Power	800W (Max. 1200W)
Speed	700-2500/min
Backing plate	123 mm, Max. 148 mm
Weight	2,2 kg
Foam pad	150 mm, Máx. 180 mm
Thread	M14
Accessories	123 mm backing plate, key and side handle

ELECTRICAL CHARACTERISTICS	
Power	1050W (Max. 1500W)
Speed	700-2500/min
Backing plate	123 mm, 150 mm, Max. 160 mm
Weight	2,2 kg
Foam pad	150 mm, 180 mm, Max. 200 mm
Thread	M14
Accessories	123 mm backing plate, key and side handle

ELECTRICAL CHARACTERISTICS	
Power	1250W (Max. 1900W)
Speed	700-3500/min
Backing plate	150 mm, Max. 180 mm
Weight	2,95 kg
Foam pad	180 mm, 200 mm, Max. 230 mm
Thread	M14
Accessories	160 mm backing plate, key and side handle

## EX610 21 ORBITAL POLISHER

051802



## EX610 15 ORBITAL POLISHER

051803



	051802	051803
Orbit size	Ø21 mm	Ø15 mm
Power	500W (Max.750W)	
Speed	2500-4500/min	
Backing plate	150 mm, Max.180 mm	
Foam pad	180 mm	
Weight	2.6 kg	
Thread	M8	
Accessories	Backing plate, lateral handle, hexagonal wrench and 2 pads	

## EX603 ORBITAL POLISHER

051805



## EX605 ORBITAL POLISHER

051804



ELECTRICAL CHARACTERISTICS	
Orbit size	12 mm
Power	500W (Max.750W)
Speed	2500-5500 RPM
Backing plate	75 mm
Foam pad	100 mm
Weight	1.9 kg
Thread	5/16" - 24
Accessories	Backing plate, lateral handle, hexagonal wrench and 2 pads

ELECTRICAL CHARACTERISTICS	
Orbit size	12 mm
Power	500W (Max.750W)
Speed	2500-5500 RPM
Backing plate	123 mm
Foam pad	150 mm
Weight	2,2 kg
Thread	M8
Accessories	Backing plate, lateral handle, hexagonal wrench and 2 pads

**BOSSAUTO INNOVA, S.A.**

Polígono Industrial Valldoríolf  
c/ Thomas Edison, 16  
08430 La Roca del Vallés. Barcelona. España  
tel.: +34 938 604 923 / +34 902 100 667  
fax: +34 938 712 336 / +34 902 363 047  
info@bossauto.com  
[www.bossauto.com](http://www.bossauto.com)

**DISTRIBUTOR:**